



Part No.: 38301



Description

- Extends DVI-D signals at distances of up to 500m using dual fibre optic cables (not included)
- Compatible with DVI-D 2.0 specifications including HDTV and HD-Ready displays
- Supports HDTV resolutions up to 1920 x 1200 @ 60Hz / 1080p @ 60 Hz
- 6Gbps Total Bandwidth over Dual Duplex or 4x LC Simplex Fibre Optic Cables
- 2 year warranty

Easy to set up and install the compact LINDY LC Fibre Optic DVI-D Extender is the most cost effective, high quality solution on the market for sending DVI-D signals over incredible distances. Send DVI-D signals without compression or any degradation over standard LC duplex multimode (50/125µm) fibre cable up to 500m (not included).

The extender system comprises two modules, a transmitter and a receiver, which are connected directly to both the DVI-D source and display. The modules are then connected together using two, standard 'off the shelf' LC Duplex Fibre cable fibre optic cables (not included).

Package Contents:

1 x Transmitter Unit

1 x Receiver Unit

1 x Multi-country PSU for Receiver, 5VDC, =1A, with Adapters for US/EUR/UK/AUS LINDY manual

Technical details

- Extends DVI-D signals up to 500m / 1600 feet
- May be used with two standard LC Duplex or 4x LC fibre cables (not included)
- Laser Class 1 product, max. output <1mW, wave length: 850nm
- EDID data set in transmitter & EDID self learning copy function from monitor
- Environmental Specifications: For Indoor use only:
- Operating temperature: 0 °C to 70 °C
- Storage temperature: 20 °C to 85 °C
- Power requirement 5VDC ~400mA per unit, DC input 3.5/1.35mm

© LINDY 2017